



QQQX2.E340089 - Electrically Isolated Semiconductor Devices - Component

Electrically Isolated Semiconductor Devices - Component

See General Information for Electrically Isolated Semiconductor Devices - Component

STARPOWER SEMICONDUCTOR LTD

E340089

988 Kexing Rd (Jiaxing Science City)
Nanhu District
Jiaxing, Zhejiang 314006 CHINA

Electrically Isolated Semiconductor Devices, IGBT Power Modules, "P2 Package", Model(s) Cat. Nos.GD1000, GD1400 HF, MN, MP, followed by K, U, L, T, Y or F, followed by number 00 through 9999; followed by P2, followed by one or two characters, may be followed by(_XX) or B_XX

Electrically Isolated Semiconductor, IGBT Power modules, "F1 Package", Model(s) Cat. Nos.GD10, GD15, GD30, GD40. GD50, GD75, GD80 ML, PJ, TU followed by K, U, L, T, Y or F, followed by number 00 through 9999; followed by F1, followed by one or two characters, may be followed by(_XX) or B_XX

Electrically Isolated Semiconductor, IGBT Power modules, "L2 Package", Model(s) Cat. Nos.GD5, GD10, GD15, GD20, GD25, GD30, GD35, GD50 followed by FS, PJ, PH, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by L2, followed by P, S or H, may be followed by N or F, may be followed by letters and or numbers, may be followed by B29.

Electrically Isolated Semiconductor, IGBT Power modules., "F2 Package", Model(s) Cat. Nos.GD15, GD25, GD35 PJ, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999; followed by F2, followed by one or two characters, may be followed by(_XX) or B_XX

Electrically Isolated Semiconductor, IGBT Power modules., "F3 Package", Model(s) Cat. Nos.GD10, GD15 PJ, followed by K, U, L, T, Y or F, followed by number 00 through 9999; followed by F3, followed by one or two characters, may be followed by(_XX) or B_XX

Power Switching Semi-Conductors, "C1.0 package", Model(s) GD100 followed by HF, CU, CE, CL or SG, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C1, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C1.0 package", Model(s) GD150 followed by HF, CU, CE, CL or SG, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C1, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C1.0 package", Model(s) GD200 followed by HF, CU, CE, CL or SG, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C1, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C1.0 package", Model(s) GD25 followed by HF, CU, CE, CL or SG, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C1, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C1.0 package", Model(s) GD35 followed by HF, CU, CE, CL or SG, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C1, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C1.0 package", Model(s) GD50 followed by HF, CU, CE, CL or SG, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C1, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C1.0 package", Model(s) GD75 followed by HF, CU, CE, CL or SG, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C1, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C1.0 package", Model(s) MD200 followed by HF, followed by C, N or M, followed by number 00 through 9999, followed by C1, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Cookies on UL

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media advertising and analytics partners.. [Learn More](#)

[Cookie Settings](#)

Accept

Power Switching Semi-Conductors, "C1.0 package", Model(s) MD64 followed by HF, followed by C, N or M, followed by number 00 through 9999, followed by C1, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C1.0 package", Model(s) RD165 followed by HF, followed by E, S, H, D or J, followed by number 00 through 9999, followed by C1, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C1.0 package", Model(s) RD200 followed by HF, followed by E, S, H, D or J, followed by number 00 through 9999, followed by C1, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C1.0 package", Model(s) RD210 followed by HF, followed by E, S, H, D or J, followed by number 00 through 9999, followed by C1, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.0 package", Model(s) FD200 followed by HF, followed by E, S, H, D or J, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.0 package", Model(s) GD100 followed by HF, CE, CU or CL followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.0 package", Model(s) GD150 followed by HF, CE, CU or CL followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.0 package", Model(s) GD200 followed by HF, CE, CU or CL followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.0 package", Model(s) GD300 followed by HF, CE, CU or CL followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.0 package", Model(s) GD400 followed by HF, CE, CU or CL followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.0 package", Model(s) GD450 followed by HF, CE, CU or CL followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.1 Package", Model(s) GD200 followed by HF or SG, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.1 Package", Model(s) GD300 followed by HF or SG, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.1 Package", Model(s) GD400 followed by HF or SG, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.1 Package", Model(s) GD600 followed by HF or SG, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.1 Package", Model(s) GD800 followed by HF or SG, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.3 package", Model(s) GD200 followed by HF, CU or CL, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.3 package", Model(s) GD400 followed by HF, CU or CL, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.3 package", Model(s) GD600 followed by HF, CU or CL, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C2, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

We use cookies to personalize

content and ads, to provide

social media features and to

analyze our traffic. We also share

information with our social media

partners. [Learn More](#)

> Cookie Settings

✓ Accept

Power Switching Semi-Conductors, "C2.4 package", Model(s) GD100 followed by MN, MP, ML, TN, TU, TL, NC, HA or HC, followed by L, X, Y, or T, followed by any number 00 through 9999, followed by C2, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.4 package", Model(s) GD150 followed by MN, MP, ML, TN, TU, TL, NC, HA or HC, followed by L, X, Y, or T, followed by any number 00 through 9999, followed by C2, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.4 package", Model(s) GD200 followed by MN, MP, ML, TN, TU, TL, NC, HA or HC, followed by L, X, Y, or T, followed by any number 00 through 9999, followed by C2, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.4 package", Model(s) GD300 followed by MN, MP, ML, TN, TU, TL, NC, HA or HC, followed by L, X, Y, or T, followed by any number 00 through 9999, followed by C2, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.4 package", Model(s) GD400 followed by MN, MP, ML, TN, TU, TL, NC, HA or HC, followed by L, X, Y, or T, followed by any number 00 through 9999, followed by C2, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C2.4 package", Model(s) GD75 followed by MN, MP, ML, TN, TU, TL, NC, HA or HC, followed by L, X, Y, or T, followed by any number 00 through 9999, followed by C2, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C5.0 package", Model(s) GD10 followed by FF, HF or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C5.0 package", Model(s) GD15 followed by FF, HF or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C5.0 package", Model(s) GD20 followed by FF, HF or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C5.0 package", Model(s) GD30 followed by FF, HF or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C5.0 package", Model(s) GD35 followed by FF, HF or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C5.0 package", Model(s) RD160 followed by FF, PB or HF, followed by E, S, H, D or J, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C5.0 package", Model(s) RD200 followed by FF, PB or HF, followed by E, S, H, D or J, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C5.3 package", Model(s) GD100 followed by PI, LR, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C5.3 package", Model(s) GD25 followed by PI, LR, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C5.3 package", Model(s) GD35 followed by PI, LR, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C5.3 package", Model(s) GD50 followed by PI, LR, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C5, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C5.3 package", Model(s) TD180 followed by PB, followed by S, followed by any number 00 through 9999, followed by C5, followed by P, S or H, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C6.0 package", Model(s) GD100 followed by FF, HF, TP or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media partners. [Learn More](#)

[Cookie Settings](#) **Accept**

Power Switching Semi-Conductors, "C6.0 package", Model(s) GD150 followed by FF, HF, TP or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C6.0 package", Model(s) GD200 followed by FF, HF, TP or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C6.0 package", Model(s) GD50 followed by FF, HF, TP or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C6.0 package", Model(s) GD75 followed by FF, HF, TP or PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C6.1 package", Model(s) GD225, GD300, GD450, GD600 followed by HF, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by _xx or B_xx.

Power Switching Semi-Conductors, "C6.2 package", Model(s) GD40 followed by PI, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C6.3 package", Model(s) GD150 followed by TP or PF, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C6.3 package", Model(s) GD50 followed by TP or PF, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C6.3 package", Model(s) GD75 followed by TP or PF, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by C6, followed by P, S or H, may be followed by N or F, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C8.1 package", Model(s) GD150 followed by HF, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by C8, followed by P, S or H, may be followed by N or F may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C8.1 package", Model(s) GD200 followed by HF, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by C8, followed by P, S or H, may be followed by N or F may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s) RD11 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s) RD110 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s) RD30 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s) RD60 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s) RD80 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s) TD11 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s) TD110 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.


Power Switching Semi-Conductors, "C9.0 package", Model(s) TD30 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s) TD60 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "C9.0 package", Model(s) TD80 followed by HF, CC or CU, followed by J, followed by any number 00 through 9999, followed by C9, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "F1 package", Model(s) GD10, GD15, GD30, GD40, GD50, GD75, GD80 followed by ML, PJ, TU followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by F1, followed by P, S or H, may be followed by N or F may be followed by _xx or B_xx.

Cookies on UL
We use cookies to personalize
social media features and to
analyze our traffic. We also share
information about your use of our
site with our social media
partners. [Learn More](#)



Power Switching Semi-Conductors, "F2 package", Model(s) GD15, GD25, GD35 followed by PJ, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by F2, followed by P, S or H, may be followed by N or F, may be followed by __xx or B_xx.

Power Switching Semi-Conductors, "F3 package", Model(s) GD10, GD15 followed by PJ, followed by K, U, L, T, Y, or X, or F, followed by number 00 through 9999, followed by F3, followed by P, S or H, may be followed by N or F, may be followed by __xx or B_xx.

Power Switching Semi-Conductors, "F5.0 package", Model(s) GD200 followed by PJ, followed by T, Y, or X, followed by number 00 through 9999, followed by F5, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "F5.0 package", Model(s) GD25 followed by PJ, followed by T, Y, or X, followed by number 00 through 9999, followed by F5, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "F5.0 package", Model(s) GD35 followed by PJ, followed by T, Y, or X, followed by number 00 through 9999, followed by F5, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "F5.0 package", Model(s) GD40 followed by PJ, followed by T, Y, or X, followed by number 00 through 9999, followed by F5, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "F5.0 package", Model(s) GD50 followed by PJ, followed by T, Y, or X, followed by number 00 through 9999, followed by F5, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "F5.0 package", Model(s) GD75 followed by PJ, followed by T, Y, or X, followed by number 00 through 9999, followed by F5, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "IGBT Power Modules", Model(s) GD followed by 150 through 600, followed by HT, followed by F, K, L, T, U, X, or Y, followed by 65 through 170, followed by C7, may be followed by additional suffixes.

Power Switching Semi-Conductors, "K1.0 package", Model(s) RD50 followed by FF, followed by J, followed by any number 00 through 9999, followed by K1, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "K1.0 package", Model(s) RD80 followed by FF, followed by J, followed by any number 00 through 9999, followed by K1, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "K2.0 package", Model(s) RD110 followed by FF, followed by J, followed by any number 00 through 9999, followed by K2, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "K2.0 package", Model(s) RD160 followed by FF, followed by J, followed by any number 00 through 9999, followed by K2, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "K2.0 package", Model(s) RD210 followed by FF, followed by J, followed by any number 00 through 9999, followed by K2, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L1 package", Model(s) GD10 followed by PJ, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L1, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L1 package", Model(s) GD15 followed by PJ, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L1, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L1 package", Model(s) GD20 followed by PJ, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L1, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L1 package", Model(s) GD30 followed by PJ, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L1, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L2 package", Model(s) GD5, GD10, GD15, GD20, GD30, GD50 followed by FS, PJ, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by L2, followed by P, S or H, may be followed by N or F, may be followed by __xx or B_xx.

Power Switching Semi-Conductors, "L3.0 package", Model(s) GD25 followed by PJ, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L3, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L3.0 package", Model(s) GD35 followed by PJ, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L3, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L3.0 package", Model(s) GD50 followed by PJ, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L3, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L3.1 package", Model(s) GD100 followed by ML, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L3, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L3.1 package", Model(s) GD150 followed by ML, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L3, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Cookies on UL
We use cookies to personalize

social media features and to

analyze our traffic. We also share

information about your use of our

site with our social media,

> Cookie Settings

✓ Accept

Power Switching Semi-Conductors, "L3.1 package", Model(s) GD75 followed by ML, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L3, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L4 package", Model(s) GD10 followed by FS, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L4, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L4 package", Model(s) GD15 followed by FS, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L4, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L4 package", Model(s) GD20 followed by FS, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L4, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L4 package", Model(s) GD30 followed by FS, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L4, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "L4 package", Model(s) GD6 followed by FS, followed by K, U, L, T, Y, X, or F, followed by any number 00 through 9999, followed by L4, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "P1.0 package", Model(s) GD450 followed by CU, MN, MP, TN, TP, NC, or HF, followed by L, X, Y, or T, followed by any number 00 through 9999, followed by P1, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "P1.0 package", Model(s) GD600 followed by CU, MN, MP, TN, TP, NC, or HF, followed by L, X, Y, or T, followed by any number 00 through 9999, followed by P1, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "P1.0 package", Model(s) GD650 followed by CU, MN, MP, TN, TP, NC, or HF, followed by L, X, Y, or T, followed by any number 00 through 9999, followed by P1, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "P1.0 package", Model(s) GD900 followed by CU, MN, MP, TN, TP, NC, or HF, followed by L, X, Y, or T, followed by any number 00 through 9999, followed by P1, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "P2 package", Model(s) GD1000, GD1400 followed by HF, MN, MP, followed by K, U, L, T, Y, X, or F, followed by number 00 through 9999, followed by P2, followed by P, S or H, may be followed by N or F, may be followed by _xx or B_xx.

Power Switching Semi-Conductors, "P3.0 package", Model(s) GD200 followed by FF, followed by T, Y, or X, followed by any number 00 through 9999, followed by P3, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "P3.0 package", Model(s) GD300 followed by FF, followed by T, Y, or X, followed by any number 00 through 9999, followed by P3, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "P3.0 package", Model(s) GD400 followed by FF, followed by T, Y, or X, followed by any number 00 through 9999, followed by P3, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "P4.0 package", Model(s) GD400 followed by HT, followed by T, Y, or X, followed by any number 00 through 9999, followed by P4, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "P4.0 package", Model(s) GD600 followed by HT, followed by T, Y, or X, followed by any number 00 through 9999, followed by P4, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "P4.0 package", Model(s) GD800 followed by HT, followed by T, Y, or X, followed by any number 00 through 9999, followed by P4, followed by S, followed by one or two characters, may be followed by letters and/or numbers, may be followed by B29.

Power Switching Semi-Conductors, "Package Type U1", Model(s) ID10 followed by FF, followed by T, Y, or X, followed by any number 00 through 9999, followed by U1, followed by one or two letters or numbers or both, may be followed by _A.

Power Switching Semi-Conductors, "Package Type U1", Model(s) ID15 followed by FF, followed by T, Y, or X, followed by any number 00 through 9999, followed by U1, followed by one or two letters or numbers or both, may be followed by _A.

Power Switching Semi-Conductors, "Package Type U1", Model(s) ID20 followed by FF, followed by T, Y, or X, followed by any number 00 through 9999, followed by U1, followed by one or two letters or numbers or both, may be followed by _A.

Power Switching Semi-Conductors, "Package Type U1", Model(s) ID30 followed by FF, followed by T, Y, or X, followed by any number 00 through 9999, followed by U1, followed by one or two letters or numbers or both, may be followed by _A.

Power Switching Semi-Conductors, Model(s) D6 Package, Series FD followed by a two or three-digit number, followed by DG, HC, or SG, followed by C, H, or S, followed by a two or three-digit number, followed by D6, may be followed by additional numbers and/or letters.

Cookies on UL
We use cookies to personalize
social media features and to
information about your use of our
site with our social media,
advertising and analytics
partners. [Learn More](#)

[Change settings](#)

✓ **Accept**

Power Switching Semi-Conductors, Model(s) D6 Package, Series GD followed by a two or three-digit number, followed by SD, or SG, followed by K, T, U, X, or Y, followed by a two or three-digit number, followed by D6, may be followed by additional numbers and/or letters.

Power Switching Semi-Conductors, Model(s) D6 Package, Series RD followed by a two or three-digit number, followed by DG or HC, followed by B or J, followed by a two or three-digit number, followed by D6, may be followed by additional numbers and/or letters.

Power Switching Semi-Conductors, Model(s) K8 Package, Series RD followed by a two or three digit number, followed by CL or HF, followed by R, followed by a two or three digit number, followed by K8, may be followed by additional letters and/or numbers.

Power Switching Semi-Conductors, Model(s) K8 Package, Series TD followed by a two or three digit number, followed by CL or HF, followed by R, followed by a two or three digit number, followed by K8, may be followed by additional letters and/or numbers.

Marking: Company name and model designation.

Last Updated on 2020-07-30

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

Cookies on UL

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners.. [Learn More](#)

[› Cookie Settings](#)

[✓ Accept](#)